

# Ultrafine Xtreme-100 - 18 à 24 °C

*NOTE : Ce film est identique au film Kentmere-100. Le site web Ultrafine renvoie vers les tables de développement du film Kentmere sur le site DevChart.*

## Ultrafine Xtreme-100 à EI 50/18°

ILFORD	ID-11 pur	ID-11 1+1	ID-11 1+3	Perceptol pur	Perceptol 1+1	Ilfotec LC29 1+19	Ilfotec LC29 1+29	Ilfotec DDX 1+4	Ilfotec HC 1+31	Ilfosol-S 1+9	Ilfosol-S 1+14
18 °C	08.00	09.45	20.00	10.45	15.15	06.15	08.30	09.45	05.45	05.45	09.15
20 °C	07.00	08.30	17.30	09.30	13.30	05.30	07.30	08.30	05.00	05.00	08.00
21 °C	06.45	08.00	16.30	09.00	12.45	05.15	07.15	08.00	04.45	04.45	07.45
22 °C	06.15	07.30	15.30	08.30	12.00	05.00	06.45	07.30	04.30	04.30	07.15
24 °C	05.45	07.00	14.00	07.45	11.00	04.30	06.00	07.00	04.00	04.00	06.30

KODAK	D-76 pur	D-76 1+1	D-76 1+3
18 °C	08.00	09.45	20.00
20 °C	07.00	08.30	17.30
21 °C	06.45	08.00	16.30
22 °C	06.15	07.30	15.30
24 °C	05.45	07.00	14.00

SPURSINN	SAM classic 1+5	SAM classic 1+7	SAM classic 1+9
18 °C	09.30	12.30	13.45
20 °C	07.45	10.00	11.00
21 °C	07.00	09.00	10.00
22 °C	06.15	08.00	09.00
24 °C	05.30	07.00	07.30

## Ultrafine Xtreme-100 à EI 64/19°

SPUR	AcuroI-N 1+70	HRX 1+20
18 °C	11.30	11.30
20 °C	10.00	10.00
21 °C	09.30	09.30
22 °C	09.00	09.00
24 °C	08.00	08.00

**Ultrafine Xtreme-100 à EI 80/20°**

<b>ADOX</b>	Adonal 1+50
18 °C	11.30
20 °C	10.00
21 °C	09.30
22 °C	09.00
24 °C	08.00
<b>AGFA</b>	Rodinal 1+50
18 °C	11.30
20 °C	10.00
21 °C	09.30
22 °C	09.00
24 °C	08.00
<b>FOMA</b>	R09 New 1+50
18 °C	11.30
20 °C	10.00
21 °C	09.30
22 °C	09.00
24 °C	08.00
<b>MOERSCH</b>	Tanol 1+1+100
18 °C	14.00
20 °C	11.30
21 °C	10.30
22 °C	09.30
24 °C	07.45
<b>SPUR</b>	UFP 1+30
18 °C	09.15
20 °C	08.00
21 °C	07.45
22 °C	07.15
24 °C	06.30

**Ultrafine Xtreme-100 à EI 100/21°**

<b>ADOX</b>	Adonal 1+25	ADX-II 1+24	Atomal 49 1+2	Silvermax 1+24
18 °C	06.15	07.00	25.00	09.45
20 °C	05.30	06.00	22.00	08.30
21 °C	05.15	05.45	20.45	08.00
22 °C	05.00	05.30	19.30	07.30
24 °C	04.30	05.00	17.45	07.00
<b>AGFA</b>	Rodinal 1+25	Atomal 1+2		
18 °C	06.15	25.00		
20 °C	05.30	22.00		
21 °C	05.15	20.45		

22 °C	05.00	19.30
24 °C	04.30	17.45
<b>FOMA</b>	R09 New 1+25	
18 °C	06.15	
20 °C	05.30	
21 °C	05.15	
22 °C	05.00	
24 °C	04.30	

<b>ILFORD</b>	ID-11 pur	ID-11 1+1	ID-11 1+3	Microphen pur	Microphen 1+1	Microphen 1+3	Perceptol pur	Perceptol 1+1	Ilfotec LC29 1+9	Ilfotec LC29 1+19	Ilfotec LC29 1+29
18 °C	10.15	13.00	23.45	09.45	12.00	16.30	14.15	17.30	04.45	08.00	12.30
20 °C	09.00	11.30	21.00	08.30	10.30	14.30	12.30	15.30	04.00	07.00	11.00
21 °C	08.30	11.00	19.45	08.00	10.00	13.45	11.45	14.45	03.45	06.45	10.30
22 °C	08.00	10.15	18.30	07.30	09.15	12.45	11.00	13.45	03.45	06.15	09.45
24 °C	07.15	09.15	17.00	07.00	08.30	11.45	10.00	12.30	03.15	05.45	09.00

(suite)	Ilfotec DDX 1+4	Ilfotec HC 1+15	Ilfotec HC 1+31	Ilfosol-S 1+9	Ilfosol-S 1+14	Ilfosol-3 1+9	Ilfosol-3 1+14
18 °C	12.00	04.45	07.30	08.00	11.30	05.45	08.30
20 °C	10.30	04.00	06.30	07.00	10.00	05.00	07.30
21 °C	10.00	03.45	06.15	06.45	09.30	04.45	07.15
22 °C	09.15	03.45	05.45	06.15	09.00	04.30	06.45
24 °C	08.30	03.15	05.15	05.45	08.00	04.00	06.00

<b>KODAK</b>	D-76 pur	D-76 1+1	D-76 1+3
18 °C	10.15	13.00	23.45
20 °C	09.00	11.30	21.00
21 °C	08.30	11.00	19.45
22 °C	08.00	10.15	18.30
24 °C	07.15	09.15	17.00

<b>SPUR</b>	Acurol-N 1+70
18 °C	12.30
20 °C	11.00
21 °C	10.30
22 °C	09.45
24 °C	09.00

<b>SPURSINN</b>	SAM classic 1+5	SAM classic 1+7	SAM classic 1+9
18 °C	10.30	13.45	14.45
20 °C	08.30	11.00	12.00
21 °C	07.45	10.00	10.45
22 °C	07.00	09.00	09.45
24 °C	06.00	07.30	08.15

<b>TETENAL</b>	Ultrafin T-plus 1+4	Paranol S 1+25	Paranol S 1+50
18 °C	11.00	13.15	32.30
20 °C	09.00	11.00	27.00
21 °C	08.30	10.15	25.00
22 °C	07.45	09.30	23.00

24 °C	06.45	08.15	20.15
-------	-------	-------	-------

**Ultrafine Xtreme-100 à EI 160/23°**

<b>ADOX</b>	Atomal 49 pur
18 °C	10.45
20 °C	09.30
21 °C	09.00
22 °C	08.30
24 °C	07.45

<b>AGFA</b>	Atomal pur
18 °C	10.45
20 °C	09.30
21 °C	09.00
22 °C	08.30
24 °C	07.45

<b>SPURSINN</b>	SAM classic 1+9
18 °C	16.45
20 °C	13.30
21 °C	12.00
22 °C	11.00
24 °C	09.15

**Ultrafine Xtreme-100 à EI 200/24°**

<b>ILFORD</b>	ID-11 pur	ID-11 1+1	Microphen pur	Microphen 1+1	Ifotec LC29 1+9	Ifotec LC29 1+19	Ifotec DDX 1+4	Ifotec HC 1+15	Ifotec HC 1+31	Ifosol-S 1+9
18 °C	12.30	17.30	10.15	16.00	05.45	09.15	14.15	05.45	09.15	09.15
20 °C	11.00	15.30	09.00	14.00	05.00	08.00	12.30	05.00	08.00	08.00
21 °C	10.30	14.45	08.30	13.15	04.45	07.45	11.45	04.45	07.45	07.45
22 °C	09.45	13.45	08.00	12.30	04.30	07.15	11.00	04.30	07.15	07.15
24 °C	09.00	12.30	07.15	11.15	04.00	06.30	10.00	04.00	06.30	06.30

<b>KODAK</b>	D-76 pur	D-76 1+1
18 °C	12.30	17.30
20 °C	11.00	15.30
21 °C	10.30	14.45
22 °C	09.45	13.45
24 °C	09.00	12.30

<b>SPURSINN</b>	SAM classic 1+5	SAM classic 1+7
18 °C	11.30	14.45
20 °C	09.15	12.00
21 °C	08.15	10.45
22 °C	07.30	09.45
24 °C	07.00	08.15

LÉGENDE :

**noir** : temps 20° C donnés par les fabricants

**bleu** : temps "pirate-photo.fr"

**vert** : temps autres températures que 20° C modifiés par coefficient

**or** : temps autres températures que 20° C donnés par les fabricants