

[SHOP](#) [PHOTOS](#) [MAGAZINE](#)[HOMES](#) [ABOUT](#) [LOGIN](#)

Search

[LOMOGRAPHY](#) › [ABOUT](#) › [FAQ](#) › DE...

Developing: How should I develop my Lomography Earl Grey 100 35mm film?

The [Lomography Earl Grey](#) is an exquisite 35mm film that will provide you with classic monochromatic images. If you or your processor need need specific processing times, here is a development chart for use with several popular developers:

Developer	Dilution	Minutes	Temperature Celsius
ID 11	1+1	9	20°C (68°F)
ID 11	stock	6	20°C (68°F)
Ilfosol 3	1+14	6	20°C (68°F)
Ilfosol S	1+9	7	20°C (68°F)
Ilford Microphen	stock	6	20°C (68°F)
Ilford Microphen	1+1	9	20°C (68°F)
Ultrafin	1+20	7	20°C (68°F)
Rodinal	1+25	4	20°C (68°F)
Rodinal	1+50	8	20°C (68°F)
Kodak TMax Developer	1+4	6	20°C (68°F)
Kodak TMax RS	stock	6	20°C (68°F)
Kodak Professional X-Tol	1+2	9	20°C (68°F)
Kodak Professional X-Tol	stock	5	20°C (68°F)