

Ilford PAN-F - 24 °C

Ilford PAN-F à EI 50/18°

ADOX	Adonal 1+25	Adonal 1+50	FX-39 1+9	FX-39 1+19							
24 °C	05.00	09.00	02.45	06.00							
AGFA	Refinal	Rodinal 1+25	Rodinal 1+50	R09 special 1+15	Studional 1+15						
24 °C	04.30	05.00	09.00	-	-						
AMALOCO	AM-74 1+7	AM-74 1+9	AM-74 1+15	AM-74 1+19							
24 °C	-	-	-	04.15							
BAK	Acufine	Ethol UFG	Ethol TEC 1+15								
24 °C	-	cf 21 °C	cf 21 °C								
CLAYTON	F60 1+14	F76 plus 1+14									
24 °C	04.30	04.30									
FOMA	R09 New 1+25	R09 New 1+50	Foma Excel pur	Foma Excel 1+1	Fomadon P pur	Fomadon P 1+1					
24 °C	05.00	09.00	06.00	07.00	07.15	09.45					
ILFORD	ID-11 pur	ID-11 1+1	ID-11 1+3	Microphen pur	Microphen 1+1	Microphen 1+3	Perceptol pur	Perceptol 1+1	Perceptol 1+3	Ilfotec LC29 1+19	Ilfotec LC29 1+29
24 °C	05.15	07.00	12.00	03.45	05.00	09.00	11.15	12.00	13.45	03.15	04.30
(suite)	Ilfotec DDX 1+4	Ilfotec HC 1+31	Ilfosol-S 1+9	Ilfosol-S 1+14	Ilfosol-3 1+14						
24 °C	06.30	03.15	03.15	05.00	03.45						
KODAK	D-76 pur	D-76 1+1	D-76 1+3	TMAX-dev 1+4	Microdol-X	Microdol-X 1+3	HC-110 (B) 1+31	XTOL			
24 °C	05.15	07.00	12.00	03.15	12.00	14.30	03.15	05.30			
PATERSON	Acutol 1+10	Aculux3 1+9	FX-39 1+9	FX-39 1+19							
24 °C	08.30	03.30	02.45	06.00							
ROLLEI	Supergrain 1+9	Supergrain 1+12	Supergrain 1+15								
24 °C	04.00	05.00	05.45								
SPURSINN	SAM classic 1+5	SAM classic 1+7	SAM classic 1+9								
24 °C	-	05.30	06.15								
TETENAL	Ultrafin liquid 1+10	Ultrafin liquid 1+20	Ultrafin plus 1+4	Ultrafin T-plus 1+4	Paranol S 1+25	Paranol S 1+50					
24 °C	03.00	06.00	03.45	08.30	12.45	27.00					