

# Kodak TMAX-400 - 18 à 24 °C

NOTE : Les temps du D-76 proviennent de la notice de Kodak ; les temps de l'ID-11 de la notice Ilford ne sont pas à jour ; les temps du D-76 sont donnés en remplacement

## Kodak TMAX-400 à EI 400/27°

<b>ADOX</b>	ADX-II 1+24	FX-39 1+9	FX-39 1+14									
18 °C	13.00	12.30	15.00									
20 °C	11.30	10.00	12.00									
21 °C	11.00	09.00	11.00									
22 °C	10.15	08.00	09.30									
24 °C	09.15	06.00	07.15									
<b>AGFA</b>	R09 special 1+15	Studional 1+15										
18 °C	05.45	05.45										
20 °C	05.00	05.00										
21 °C	04.45	04.45										
22 °C	04.30	04.30										
24 °C	04.00	04.00										
<b>ARS-IMAGO</b>	FD 1+39											
18 °C	-											
20 °C	06.30											
21 °C	-											
22 °C	-											
24 °C	-											
<b>BERGGER</b>	BerSpeed 1+1											
18 °C	13.00											
20 °C	10.45											
21 °C	10.00											
22 °C	09.00											
24 °C	07.30											
<b>CLAYTON</b>	F60 1+9	F60 1+19	F76 plus 1+9	F76 plus 1+19								
18 °C	07.45	14.15	08.45	-								
20 °C	06.45	12.30	08.00	-								
21 °C	06.30	11.45	07.45	-								
22 °C	06.00	11.00	07.45	-								
24 °C	05.30	10.00	07.00	12.30								
<b>FOMA</b>	R09 New 1+50	Foma LQN 1+10	Foma Excel pur	Foma Excel 1+1	Fomadon P pur	Fomadon P 1+1						
18 °C	12.30	13.45	07.15	10.45	12.30	21.30						
20 °C	11.00	12.00	06.30	09.15	11.00	19.00						
21 °C	10.30	11.30	06.15	08.30	10.30	18.00						
22 °C	09.45	10.45	05.45	07.45	09.45	16.45						
24 °C	09.00	09.45	05.15	07.00	09.00	15.15						
<b>ILFORD</b>	ID-11 pur	ID-11 1+1	Microphen pur	Microphen 1+1	Microphen 1+3	Perceptol pur	Perceptol 1+1	Perceptol 1+3	Ilfotec LC29 1+9	Ilfotec LC29 1+19	Ilfotec LC29 1+29	
18 °C	08.15	11.15	08.00	11.30	17.00	12.30	13.45	19.15	04.00	07.30	10.15	

20 °C	07.30	10.15	07.00	10.00	15.00	11.00	12.00	17.00	03.30	06.30	09.00
21 °C	06.45	09.30	06.45	09.30	14.15	10.30	11.30	16.00	03.30	06.15	08.30
22 °C	06.15	09.00	06.15	09.00	13.15	09.45	10.45	15.00	03.15	05.45	08.00
24 °C	05.30	08.00	05.45	08.00	12.00	09.00	09.45	13.45	-	05.15	07.15
(suite)	Ilfotec DDX 1+4	Ilfotec HC 1+15	Ilfotec HC 1+31	Ilfisol-S 1+9	Ilfisol-S 1+14	Ilfisol-3 1+9	Ilfisol-3 1+14				
18 °C	09.15	04.00	07.30	08.30	16.00	06.45	11.30				
20 °C	08.00	03.30	06.30	07.30	14.00	06.00	10.00				
21 °C	07.45	03.30	06.15	07.15	13.15	05.45	09.30				
22 °C	07.15	03.15	05.45	06.45	12.30	05.45	09.00				
24 °C	06.30	-	05.15	06.00	11.15	05.00	07.30				
<b>KODAK</b>	D-76 pur	D-76 1+1	TMAX-dev 1+4	TMAX-dev 1+7	TMAX-dev 1+9	Microdol-X	Microdol-X 1+3	HC-110 (B) 1+31	XTOL	XTOL 1+1	D-19
18 °C	08.15	11.15	-	-	-	11.45	-	06.15	07.15	10.45	07.00
20 °C	07.30	10.15	06.45	-	-	10.15	21.15	05.30	06.30	09.15	06.00
21 °C	06.45	09.30	06.15	-	-	09.30	19.00	05.15	06.15	08.30	05.45
22 °C	06.15	09.00	06.00	-	-	08.30	17.15	04.45	05.45	07.45	05.30
24 °C	05.30	08.00	05.30	08.15	13.45	07.30	14.45	04.30	05.15	07.00	05.00
<b>PATERSON</b>	Aculux3 1+9	FX-39 1+9	FX-39 1+14								
18 °C	16.15	12.30	15.00								
20 °C	13.00	10.00	12.00								
21 °C	11.45	09.00	11.00								
22 °C	10.30	08.00	09.30								
24 °C	08.00	06.00	07.15								
<b>ROLLEI</b>	Supergrain 1+9	Supergrain 1+12	Supergrain 1+15								
18 °C	07.30	09.15	09.45								
20 °C	06.30	08.00	08.30								
21 °C	06.15	07.45	08.00								
22 °C	05.45	07.15	07.30								
24 °C	05.15	06.30	07.00								
<b>SPURSINN</b>	SAM classic 1+5	SAM classic 1+7	SAM classic 1+9								
18 °C	07.15	09.30	14.15								
20 °C	06.00	07.45	11.30								
21 °C	05.30	07.00	10.30								
22 °C	05.00	06.15	09.15								
24 °C	-	05.30	08.00								
<b>TETENAL</b>	Ultrafin T-plu s 1+4	Paranol S 1+25	Paranol S 1+50								
18 °C	10.00	08.30	18.00								
20 °C	08.15	07.00	15.00								
21 °C	07.45	06.30	14.00								
22 °C	07.00	06.00	12.45								
24 °C	06.15	05.15	11.15								

LÉGENDE :

**noir** : temps 20° C donnés par les fabricants

**bleu** : temps "pirate-photo.fr"

**vert** : temps autres températures que 20° C modifiés par coefficient

**or** : temps autres températures que 20° C donnés par les fabricants