

Fuji SS-100 - 18 à 24 °C

NOTE : La plupart des temps proviennent de la notice du film. Fuji donne curieusement des temps différents pour l'ID-11 d'Ilford et le D-76 de Kodak.

Fuji SS-100 à EI 100/21°

FUJI	SuperProdol pur	SuperProdol 1+1	Microfine pur	Microfine 1+1	Fujidol pur	Fujidol 1+1
18 °C	05.15	08.00	11.30	13.30	07.30	08.30
20 °C	04.30	07.00	09.30	11.30	06.45	07.30
21 °C	04.15	06.30	09.00	10.45	06.30	07.00
22 °C	03.45	06.00	08.15	10.00	05.45	06.30
24 °C	03.15	05.30	06.30	08.30	05.00	05.45

ILFORD	ID-11 pur	Microphen 1+1	Perceptol pur	Ilfotec LC29 1+19
18 °C	06.15	11.30	11.30	06.00
20 °C	05.30	10.00	09.00	05.00
21 °C	05.00	09.30	08.00	04.45
22 °C	04.30	09.00	07.00	04.15
24 °C	03.45	08.00	05.30	03.30

KODAK	D-76 pur	D-76 1+1	D-76 1+3	Microdol-X	Microdol-X 1+1	XTOL
18 °C	07.45	09.30	19.15	08.00	09.45	07.00
20 °C	06.45	08.15	17.00	07.00	08.30	06.00
21 °C	06.30	07.45	16.00	06.30	08.00	05.45
22 °C	05.45	07.15	15.00	06.00	07.30	05.15
24 °C	04.45	06.15	13.45	05.30	06.30	04.30

Fuji SS-100 à EI 200/24°

BKA	Acufine
18 °C	04.00
20 °C	03.30
21 °C	03.30
22 °C	03.15
24 °C	-

FUJI	SuperProdol pur	SuperProdol 1+1	Fujidol pur
18 °C	06.00	08.45	08.15
20 °C	05.00	07.30	07.15
21 °C	04.45	07.00	07.00
22 °C	04.30	06.30	06.30
24 °C	03.45	05.45	05.30

ILFORD	ID-11 pur	Ilfotec LC29 1+19
18 °C	07.00	07.15
20 °C	06.00	06.00
21 °C	05.45	05.45
22 °C	05.00	05.00
24 °C	04.15	04.15

KODAK	D-76 pur	D-76 1+1	TMAX-dev 1+4	HC-110 (B) 1+31	XTOL
18 °C	08.45	10.30	06.15	07.45	07.30
20 °C	07.15	09.00	05.30	06.15	06.30
21 °C	06.45	08.30	05.15	05.45	06.00
22 °C	06.15	07.45	04.45	05.15	05.30
24 °C	05.15	06.45	04.15	04.15	04.45

Fuji SS-100 à EI 400/27°

BKA	Acufine
18 °C	05.45
20 °C	05.00
21 °C	04.45
22 °C	04.30
24 °C	04.00
FUJI	SuperProdol pur
18 °C	10.30
20 °C	09.00
21 °C	08.30
22 °C	07.45
24 °C	06.30
ILFORD	ID-11 pur
18 °C	10.00
20 °C	08.30
21 °C	08.00
22 °C	07.15
24 °C	06.00
KODAK	TMAX-dev 1+4
18 °C	10.00
20 °C	08.30
21 °C	08.00
22 °C	07.30
24 °C	06.30

Fuji Acros-100 - 18 à 24 °C

NOTE : La plupart des temps proviennent de la notice du film. Fuji donne curieusement des temps différents pour l'ID-11 d'Ilford et le D-76 de Kodak.

Fuji Acros-100 à EI 50/18°

BERGGER	PMK 1+2+100
18 °C	-
20 °C	15.15
21 °C	14.00
22 °C	13.00
24 °C	11.00

ROLLEI	RLS 1+4
18 °C	-
20 °C	-
21 °C	-
22 °C	-
24 °C	12.00

SPUR	AcuroI-N 1+70
18 °C	15.15
20 °C	13.30
21 °C	12.45
22 °C	12.00
24 °C	11.00

SPURSINN	SAM classic 1+5	SAM classic 1+7	SAM classic 1+9
18 °C	08.00	10.30	12.15
20 °C	06.30	08.30	09.45
21 °C	06.00	07.45	08.45
22 °C	05.15	07.00	08.00
24 °C	-	06.00	06.45

Fuji Acros-100 à EI 64/19°

MOERSCH	Tanol 1+1+100	
18 °C	20.15	
20 °C	16.30	
21 °C	15.00	
22 °C	13.30	
24 °C	11.00	

SPUR	HRX 1+20	UFP 1+30
18 °C	12.30	10.15
20 °C	11.00	09.00
21 °C	10.30	08.30
22 °C	09.45	08.00
24 °C	09.00	07.15

SPURSINN	SAM classic 1+7	
18 °C	11.15	
20 °C	09.00	
21 °C	08.00	
22 °C	07.15	
24 °C	06.15	

Fuji Acros-100 à EI 80/20°

FUJI	SuperProdol pur	SuperProdol 1+1			
18 °C	05.30	07.45			
20 °C	04.15	06.30			
21 °C	04.00	06.00			
22 °C	03.30	05.30			
24 °C	03.00	04.30			
ILFORD	Ilfotec HC 1+31	Ilfosol-3 1+9	Ilfosol-3 1+14		
18 °C	05.15	05.45	07.45		
20 °C	04.30	05.00	07.00		
21 °C	04.15	04.45	06.45		
22 °C	04.00	04.30	06.30		
24 °C	03.45	04.00	06.00		
KODAK	HC-110 (B) 1+31				
18 °C	05.30				
20 °C	04.30				
21 °C	04.15				
22 °C	03.45				
24 °C	03.15				
MOERSCH	Finol 1+1+100	Tanol Speed 1+1+100			
18 °C	20.15	16.45			
20 °C	17.00	14.00			
21 °C	15.45	13.00			
22 °C	14.30	11.45			
24 °C	11.30	09.30			

Fuji Acros-100 à EI 100/21°

ADOX	Adonal 1+25	Adonal 1+50	ADX-II 1+24	FX-39 1+14	FX-39 1+19
18 °C	08.00	13.45	09.45	10.20	13.45
20 °C	07.00	12.00	08.30	08.15	11.00
21 °C	06.45	11.30	08.00	07.30	10.00
22 °C	06.15	10.45	07.30	06.40	09.00
24 °C	05.45	09.45	07.00	05.10	06.30
AGFA	Rodinal 1+25	Rodinal 1+50			
18 °C	08.00	13.45			
20 °C	07.00	12.00			
21 °C	06.45	11.30			
22 °C	06.15	10.45			
24 °C	05.45	09.45			
AMALOCO	AM-74 1+7	AM-74 1+9	AM-74 1+15	AM-74 1+19	
18 °C	05.00	05.30	06.15	09.45	
20 °C	04.00	04.25	05.10	08.00	
21 °C	04.00	04.15	05.00	07.45	

22 °C	03.45	04.00	04.45	07.15
24 °C	-	03.15	03.45	05.45

ARS-IMAGO	FD 1+39	FD 1+59
18 °C	-	-
20 °C	04.00	06.30
21 °C	-	-
22 °C	-	-
24 °C	-	-

BERGGER	BerSpeed 1+1
18 °C	13.15
20 °C	11.00
21 °C	10.15
22 °C	09.15
24 °C	08.00

CLAYTON	F60 1+9	F76 plus 1+9	F76 plus 1+19
18 °C	08.00	06.15	08.30
20 °C	07.00	05.30	07.30
21 °C	06.45	05.15	07.15
22 °C	06.15	05.00	06.45
24 °C	05.45	04.30	06.00

FOMA	R09 New 1+25	R09 New 1+50	Foma Excel pur	Fomadon P pur
18 °C	08.00	13.45	09.15	11.30
20 °C	07.00	12.00	08.00	10.00
21 °C	06.45	11.30	07.45	09.30
22 °C	06.15	10.45	07.15	09.00
24 °C	05.45	09.45	06.30	08.00

FUJI	SuperProdol pur	SuperProdol 1+1	SuperProdol 1+3	Microfine pur	Microfine 1+1	Fujidol pur	Fujidol 1+1
18 °C	05.30	07.45	14.45	12.30	-	11.00	15.00
20 °C	04.15	06.30	12.00	10.00	13.00	09.00	12.30
21 °C	04.00	06.00	11.15	09.30	11.45	08.30	11.30
22 °C	03.30	05.30	10.00	08.30	10.30	07.30	10.30
24 °C	-	04.30	08.15	07.00	08.45	06.00	08.45

ILFORD	ID-11 pur	ID-11 1+1	Perceptol pur	Ilfotec LC29 1+19
18 °C	08.00	12.30	15.30	05.15
20 °C	06.45	10.00	12.30	04.30
21 °C	06.30	09.15	11.15	04.15
22 °C	05.45	08.15	10.00	04.00
24 °C	04.45	06.45	08.00	03.45

KODAK	D-76 pur	D-76 1+1	TMAX-dev 1+4	Microdol-X	XTOL	D-19
18 °C	08.30	13.00	06.30	13.30	09.30	05.15
20 °C	07.15	10.30	05.30	11.30	08.00	04.30
21 °C	06.45	09.45	05.15	10.45	07.30	04.15
22 °C	06.15	08.45	04.45	09.45	06.45	04.00

24 °C	05.15	07.15	04.00	08.15	05.30	03.45
PATERSON	Aculux3 1+9	FX-39 1+14	FX-39 1+19			
18 °C	10.40	10.20	13.45			
20 °C	08.30	08.15	11.00			
21 °C	07.45	07.30	10.00			
22 °C	06.50	06.40	09.00			
24 °C	05.15	05.10	06.30			
ROLLEI	Supergrain 1+9	Supergrain 1+12	Supergrain 1+15			
18 °C	05.45	07.30	08.30			
20 °C	05.00	06.30	07.30			
21 °C	04.45	06.15	07.15			
22 °C	04.30	05.45	06.45			
24 °C	04.00	05.15	06.00			
SPURSINN	SAM classic 1+5	SAM classic 1+7	SAM classic 1+9			
18 °C	09.15	12.15	14.45			
20 °C	07.30	09.45	12.00			
21 °C	06.45	08.45	10.45			
22 °C	06.00	08.00	09.45			
24 °C	05.15	06.45	08.15			
TETENAL	Ultrafin T-plu s 1+4	Paranol S 1+25	Paranol S 1+50			
18 °C	07.30	07.15	17.00			
20 °C	06.15	06.00	14.00			
21 °C	05.45	05.45	13.00			
22 °C	05.30	05.15	12.00			
24 °C	04.45	04.30	10.30			

Fuji Acros-100 à EI 200/24°

ADOX	FX-39 1+9
18 °C	08.10
20 °C	06.30
21 °C	05.45
22 °C	04.50
24 °C	03.50

AMALOCO	AM-74 1+7	AM-74 1+9	AM-74 1+15	AM-74 1+19
18 °C	08.00	08.45	10.15	15.45
20 °C	06.30	07.10	08.30	13.00
21 °C	06.15	07.00	08.15	12.30
22 °C	06.00	06.30	07.45	11.45
24 °C	04.45	05.15	06.00	09.15

FUJI	Fujidol pur
18 °C	20.45
20 °C	17.00
21 °C	15.30
22 °C	14.00
24 °C	11.00

KODAK	D-76 pur	TMAX-dev 1+4
18 °C	12.00	09.30
20 °C	10.00	08.00
21 °C	09.30	07.30
22 °C	08.30	06.30
24 °C	07.00	05.30

PATERSON	FX-39 1+9
18 °C	08.10
20 °C	06.30
21 °C	05.45
22 °C	04.50
24 °C	03.50

Fuji Neopan-400 - 18 à 24 °C

Fuji Neopan-400 à EI 160/23°

ADOX	Atomal 49 pur
18 °C	09.45
20 °C	08.30
21 °C	08.00
22 °C	07.30
24 °C	07.00
AGFA	Atomal pur
18 °C	09.45
20 °C	08.30
21 °C	08.00
22 °C	07.30
24 °C	07.00

Fuji Neopan-400 à EI 200/24°

FUJI	SuperProdol 1+3	
18 °C	09.00	
20 °C	07.45	
21 °C	07.15	
22 °C	06.50	
24 °C	06.15	
KODAK	Microdol-X	
18 °C	09.30	
20 °C	08.30	
21 °C	08.15	
22 °C	07.45	
24 °C	07.00	
MOERSCH	Tanol Speed 1+1+100	
18 °C	21.15	
20 °C	17.45	
21 °C	16.30	
22 °C	15.00	
24 °C	12.00	
ROLLEI	RLS 1+4	
18 °C	-	
20 °C	-	
21 °C	-	
22 °C	-	
24 °C	11.00	
SPURSINN	SAM classic 1+7	SAM classic 1+9
18 °C	08.45	11.15
20 °C	07.00	09.00
21 °C	06.30	08.00
22 °C	05.45	07.15
24 °C	05.00	06.15

Fuji Neopan-400 à EI 250/25°

ADOX	Adonal 1+25	Adonal 1+50
18 °C	05.15	09.15
20 °C	04.30	08.00
21 °C	04.15	07.45
22 °C	04.00	07.15
24 °C	03.45	06.30
AGFA	Rodinal 1+25	Rodinal 1+50
18 °C	05.15	09.15
20 °C	04.30	08.00
21 °C	04.15	07.45
22 °C	04.00	07.15
24 °C	03.45	06.30
FOMA	R09 New 1+25	R09 New 1+50
18 °C	05.15	09.15
20 °C	04.30	08.00
21 °C	04.15	07.45
22 °C	04.00	07.15
24 °C	03.45	06.30
ILFORD	ID-11 pur	
18 °C	08.00	
20 °C	06.30	
21 °C	06.00	
22 °C	05.30	
24 °C	04.15	
KODAK	D-76 pur	
18 °C	08.00	
20 °C	06.30	
21 °C	06.00	
22 °C	05.30	
24 °C	04.15	
MOERSCH	Tanol 1+1+100	
18 °C	19.30	
20 °C	16.00	
21 °C	14.45	
22 °C	13.15	
24 °C	10.45	

Fuji Neopan-400 à EI 320/26°

AGFA	Refinal	R09 special 1+15	Studional 1+15
18 °C	04.00	03.30	03.30
20 °C	03.30	03.00	03.00
21 °C	03.30	-	-
22 °C	03.15	-	-
24 °C	-	-	-

MOERSCH	Finol 1+1+100
18 °C	24.00
20 °C	20.00
21 °C	18.30
22 °C	17.00
24 °C	13.30

Fuji Neopan-400 à EI 400/27°

ADOX	FX-39 1+9
18 °C	12.30
20 °C	10.00
21 °C	09.00
22 °C	08.00
24 °C	06.00

AMALOCO	AM-74 1+7	AM-74 1+9	AM-74 1+15	AM-74 1+19
18 °C	07.15	08.00	09.30	14.30
20 °C	06.00	06.35	07.50	12.00
21 °C	05.45	06.15	07.30	11.30
22 °C	05.30	06.00	07.15	11.00
24 °C	04.15	04.45	05.30	08.30

BKA	Acufine	ACU-1 1+5
18 °C	03.45	-
20 °C	03.15	-
21 °C	-	05.45
22 °C	-	-
24 °C	-	-

CLAYTON	F60 1+9	F76 plus 1+9
18 °C	06.15	06.15
20 °C	06.00	06.00
21 °C	06.00	06.00
22 °C	05.45	05.45
24 °C	05.30	05.30

FOMA	Foma LQN 1+10	Foma Excel pur	Foma Excel 1+1	Fomadon P pur
18 °C	10.15	08.00	11.30	10.15
20 °C	09.00	07.00	10.00	09.00
21 °C	08.30	06.45	09.30	08.30

22 °C	08.00	06.15	09.00	08.00
24 °C	07.15	05.45	08.00	07.15
FUJI	SuperProdol pur	SuperProdol 1+1	SuperProdol 1+3	Fujidol pur
18 °C	05.00	08.30	14.45	08.30
20 °C	04.15	07.00	12.00	07.00
21 °C	04.00	06.30	11.15	06.30
22 °C	03.30	05.45	10.00	05.45
24 °C	03.00	04.45	08.15	04.45

ILFORD	ID-11 pur	ID-11 1+1	ID-11 1+3	Microphen pur	Microphen 1+1	Microphen 1+3	Perceptol pur	Perceptol 1+1	Perceptol 1+3	Ilfotec LC29 1+9	Ilfotec LC29 1+19
18 °C	08.00	10.45	17.00	05.00	07.45	10.15	11.30	16.00	22.45	04.45	07.00
20 °C	07.30	09.30	15.00	04.15	06.45	09.00	10.00	14.00	20.00	04.00	06.00
21 °C	07.00	09.15	14.15	04.00	06.30	08.30	09.30	13.15	19.00	03.45	05.45
22 °C	06.15	08.30	13.15	03.30	06.00	08.00	09.00	12.30	17.45	03.45	05.30
24 °C	05.30	07.30	12.00	03.00	05.30	07.15	08.00	11.15	16.00	03.15	05.00

(suite)	Ilfotec LC29 1+29	Ilfotec DDX 1+4	Ilfosol-3 1+9	Ilfosol-3 1+14
18 °C	09.15	08.00	07.30	11.00
20 °C	08.00	07.00	06.30	09.30
21 °C	07.45	06.45	06.15	09.00
22 °C	07.15	06.15	05.45	08.15
24 °C	06.30	05.45	05.00	07.00

KODAK	D-76 pur	D-76 1+1	TMAX-dev 1+4	Microdol-X	HC-110 (B) 1+31	XTOL
18 °C	09.15	10.45	07.00	11.15	06.00	07.30
20 °C	07.30	09.30	06.00	10.00	05.00	06.15
21 °C	07.00	09.15	05.45	09.30	04.45	05.45
22 °C	06.15	08.30	05.00	09.00	04.15	05.15
24 °C	05.00	07.30	04.30	08.00	03.30	04.15

PATERSON	Aculux3 1+9	FX-39 1+9
18 °C	18.45	12.30
20 °C	15.00	10.00
21 °C	13.30	09.00
22 °C	12.00	08.00
24 °C	09.00	06.00

ROLLEI	Supergrain 1+9	Supergrain 1+12	Supergrain 1+15
18 °C	07.00	08.30	09.45
20 °C	06.00	07.30	08.30
21 °C	05.45	07.15	08.00
22 °C	05.30	06.45	07.30
24 °C	05.00	06.00	07.00

SPURSINN	SAM classic 1+5	SAM classic 1+7	SAM classic 1+9
18 °C	08.45	11.15	14.30
20 °C	07.00	09.00	11.45
21 °C	06.30	08.00	10.30
22 °C	05.45	07.15	09.30

24 °C	05.00	06.15	08.15
TETENAL	Ultrafin T-plus 1+4	Paranol S 1+25	Paranol S 1+50
18 °C	09.45	09.45	26.30
20 °C	08.00	08.00	22.00
21 °C	07.30	07.30	20.15
22 °C	07.00	07.00	18.45
24 °C	06.00	06.00	16.30

Fuji Neopan-400 à EI 500/28°

BKA	Ethol TEC 1+15
18 °C	-
20 °C	-
21 °C	14.00
22 °C	-
24 °C	-

Fuji Neopan-400 à EI 640/29°

BKA	Ethol UFG
18 °C	-
20 °C	-
21 °C	05.00
22 °C	-
24 °C	-

Fuji Neopan-400 à EI 800/30°

AMALOCO	AM-74 1+7	AM-74 1+9	AM-74 1+15	AM-74 1+19
18 °C	08.15	09.00	10.30	16.15
20 °C	06.45	07.25	08.45	13.30
21 °C	06.30	07.15	08.30	13.00
22 °C	06.15	06.45	08.00	12.15
24 °C	04.45	05.15	06.15	09.30

BKA	Acufine	ACU-1 1+10
18 °C	05.30	-
20 °C	04.30	-
21 °C	04.15	12.45
22 °C	03.45	-
24 °C	03.15	-

CLAYTON	F60 1+19	F76 plus 1+19
18 °C	-	-
20 °C	-	-
21 °C	-	-
22 °C	-	-
24 °C	11.00	11.00

FUJI	SuperProdol pur
-------------	--------------------

18 °C	07.45
20 °C	05.45
21 °C	05.15
22 °C	04.45
24 °C	04.00

ILFORD	ID-11 pur	ID-11 1+1	Microphen pur
18 °C	09.30	15.00	07.00
20 °C	08.30	13.00	05.45
21 °C	08.00	12.15	05.30
22 °C	07.30	11.30	05.00
24 °C	06.45	09.45	04.15

KODAK	D-76 pur	D-76 1+1	HC-110 (B) 1+31	XTOL
18 °C	10.45	15.00	08.30	10.30
20 °C	08.45	13.00	07.15	08.45
21 °C	08.00	12.00	06.45	08.00
22 °C	07.15	11.00	06.00	07.00
24 °C	05.45	09.45	05.00	05.45

SPURSINN	SAM classic 1+5	SAM classic 1+7	SAM classic 1+9
18 °C	11.00	13.30	20.15
20 °C	08.45	10.45	16.15
21 °C	08.00	09.45	14.30
22 °C	07.00	08.45	13.15
24 °C	06.00	07.15	11.15

Fuji Neopan-400 à EI 1000/31°

BKA	Ethol TEC 1+15
18 °C	-
20 °C	-
21 °C	18.00
22 °C	-
24 °C	-

Fuji Neopan-400 à EI 1600/33°

AMALOCO	AM-74 1+7	AM-74 1+9	AM-74 1+15	AM-74 1+19
18 °C	09.00	10.00	11.45	18.00
20 °C	07.30	08.15	09.45	15.00
21 °C	07.15	08.00	09.15	14.15
22 °C	06.45	07.30	09.00	13.30
24 °C	05.15	06.00	07.00	10.30

BKA	Acufine	Ethol TEC 1+15
18 °C	08.15	-
20 °C	07.00	-
21 °C	06.30	24.00
22 °C	06.00	-
24 °C	05.00	-

FUJI	SuperProdol pur
18 °C	11.00
20 °C	09.00
21 °C	08.30
22 °C	07.30
24 °C	06.15

ILFORD	ID-11 pur	Microphen pur
18 °C	14.00	10.00
20 °C	13.30	08.30
21 °C	12.30	08.00
22 °C	11.00	07.15
24 °C	09.45	06.15

KODAK	D-76 pur	HC-110 (B) 1+31	XTOL
18 °C	16.30	14.30	15.30
20 °C	13.30	12.00	12.30
21 °C	12.30	11.15	11.30
22 °C	11.00	10.00	10.30
24 °C	09.15	08.15	08.45

SPURSINN	SAM classic 1+5	SAM classic 1+7
18 °C	14.45	19.30
20 °C	12.00	15.45
21 °C	10.45	14.15
22 °C	09.45	13.00
24 °C	08.15	11.00

Fuji Neopan-1600 - 18 à 24 °C

NOTE : La plupart des temps proviennent de la notice du film. Fuji donne curieusement des temps différents pour l'ID-11 d'Ilford et le D-76 de Kodak.

Fuji Neopan-1600 à EI 250/25°

ADOX	Atomal 49 pur
18 °C	08.30
20 °C	07.30
21 °C	07.15
22 °C	06.45
24 °C	06.00
AGFA	Atomal pur
18 °C	08.30
20 °C	07.30
21 °C	07.15
22 °C	06.45
24 °C	06.00

Fuji Neopan-1600 à EI 400/27°

ADOX	Adonal 1+25	Adonal 1+50	
18 °C	04.30	09.15	
20 °C	03.50	08.00	
21 °C	03.45	07.45	
22 °C	03.30	07.15	
24 °C	03.15	06.30	
AGFA	Refinal	Rodinal 1+25	Rodinal 1+50
18 °C	04.30	04.30	09.15
20 °C	03.50	03.50	08.00
21 °C	03.45	03.45	07.45
22 °C	03.30	03.30	07.15
24 °C	03.15	03.15	06.30
FOMA	R09 New 1+25	R09 New 1+50	
18 °C	04.30	09.15	
20 °C	03.50	08.00	
21 °C	03.45	07.45	
22 °C	03.30	07.15	
24 °C	03.15	06.30	

Fuji Neopan-1600 à EI 800/30°

AGFA	R09 special 1+15	Studional 1+15				
18 °C	03.30	03.30				
20 °C	03.00	03.00				
21 °C	-	-				
22 °C	-	-				
24 °C	-	-				
FUJI	Microfine pur					
18 °C	10.00					
20 °C	08.00					
21 °C	07.30					
22 °C	06.30					
24 °C	05.00					
ILFORD	ID-11 pur	Ilfotec DDX 1+4	Ilfotec HC 1+31	Ilfosol-3 1+9	Ilfosol-3 1+14	
18 °C	05.15	05.15	05.30	05.45	08.00	
20 °C	04.30	04.30	04.45	05.00	07.00	
21 °C	04.15	04.15	04.30	04.45	06.45	
22 °C	04.00	04.00	04.15	04.30	06.15	
24 °C	03.15	03.45	04.00	04.00	05.30	
KODAK	D-76 pur	D-76 1+1	D-76 1+3	Microdol-X	HC-110 (B) 1+31	XTOL 1+1
18 °C	06.00	08.15	13.00	10.00	05.30	07.45
20 °C	05.00	07.00	11.30	08.15	04.45	06.45
21 °C	04.45	06.30	11.00	07.45	04.30	06.30
22 °C	04.15	06.15	10.15	07.00	04.15	06.00
24 °C	03.30	05.00	09.15	05.30	03.30	05.30
ROLLEI	RLS 1+4					
18 °C	-					
20 °C	-					
21 °C	-					
22 °C	-					
24 °C	16.00					

Fuji Neopan-1600 à EI 1600/33°

ISO : l'indice d'exposition donné par Fuji pour le film Neopan-1600 correspond une plage d'exposition pour laquelle le film a été optimisé. Sa sensibilité nominale est de ISO 640.

FUJI	SuperProdol pur	SuperProdol 1+1	SuperProdol 1+3	Fujidol pur	Fujidol 1+1
18 °C	05.00	07.45	14.45	08.00	10.00
20 °C	04.15	06.30	12.00	06.30	08.00
21 °C	04.00	06.00	11.15	06.00	07.30
22 °C	03.30	05.45	10.00	05.30	06.30
24 °C	03.00	04.30	08.15	04.15	05.00

ILFORD	ID-11 pur	ID-11 1+1	ID-11 1+3	Microphen pur	Ilfotec LC29 1+9	Ilfotec LC29 1+19	Ilfotec LC29 1+29	Ilfotec DDX 1+4	Ilfotec HC 1+31	Ilfosol-3 1+9	Ilfosol-3 1+14
18 °C	07.45	11.30	17.00	03.45	03.30	07.45	11.30	05.45	08.00	09.00	11.15
20 °C	06.30	10.00	15.00	03.15	03.00	06.30	10.00	05.00	07.00	07.30	10.00
21 °C	06.00	09.30	14.15	03.15	-	06.00	09.30	04.45	06.45	07.00	09.30
22 °C	05.45	09.00	13.15	-	-	05.45	09.00	04.30	06.15	06.15	09.00
24 °C	04.30	08.00	12.00	-	-	04.30	08.00	04.00	05.45	05.00	08.00

KODAK	D-76 pur	D-76 1+1	D-76 1+3	TMAX-dev 1+4	Microdol-X	HC-110 (B) 1+31	XTOL	XTOL 1+1
18 °C	09.00	10.30	17.30	05.15	12.45	08.15	07.15	08.30
20 °C	07.30	09.00	15.30	04.30	10.30	07.00	06.00	07.30
21 °C	07.00	08.30	14.45	04.15	09.45	06.30	05.45	07.15
22 °C	06.15	07.45	13.45	04.00	08.45	06.15	05.00	06.45
24 °C	05.00	06.30	12.30	03.30	07.00	05.00	04.00	06.00

Fuji Neopan-1600 à EI 3200/36°

FUJI	SuperProdol pur
18 °C	10.00
20 °C	08.00
21 °C	07.30
22 °C	06.30
24 °C	05.00

ILFORD	Microphen pur
18 °C	07.00
20 °C	05.45
21 °C	05.30
22 °C	05.00
24 °C	04.00

KODAK	D-76 pur	TMAX-dev 1+4	XTOL
18 °C	18.00	11.30	13.30
20 °C	15.00	10.00	11.00
21 °C	14.00	09.30	10.00
22 °C	12.30	09.00	09.15
24 °C	10.00	07.30	07.15

LÉGENDE :

noir : temps 20° C donnés par les fabricants

bleu : temps "pirate-photo.fr"

vert : temps autres températures que 20° C modifiés par coefficient

or : temps autres températures que 20° C donnés par les fabricants