

Kodak 320TXP - 24 °C

Kodak 320TXP à EI 320/26°											
FOMA		R09 New 1+25	R09 New 1+50	R09 New 1+100		Foma LQN 1+10	Foma LQR 1+10	Universal 1+3	Foma Excel pur	Foma Excel 1+1	Fomadon P pur
24 °C									05.45	08.00	
ILFORD	ID-11 pur	ID-11 1+1	ID-11 1+3	Microphen pur	Microphen 1+1	Microphen 1+3	Perceptol pur	Perceptol 1+1	Perceptol 1+3	Ilfotec LC29 1+9	Ilfotec LC29 1+19
24 °C	06.30	09.15									
KODAK	D-76 pur	D-76 1+1	D-76 1+3	TMAX-dev 1+4	TMAX-dev 1+7	TMAX-dev 1+9	Microdol-X	Microdol-X 1+1	Microdol-X 1+3	HC-110 (A) 1+15	HC-110 (B) 1+31
24 °C	06.30	09.15		05.15			07.30				03.30
(suite)	XTOL	XTOL 1+1	XTOL 1+2	XTOL 1+3	DK-50 1+1	D-19	D-96				
24 °C	05.45	08.00									
MOERSCH	Finol 1+1+50	Finol 1+1+75	Finol 1+1+100	Tanol 1+1+100	Tanol Speed 1+1+100						
24 °C			13.30								
SPURSINN	SAM classic 1+5	SAM classic 1+7	SAM classic 1+9								
24 °C	06.15	08.15									
TETENAL	Paranol S 1+25	Paranol S 1+50									
24 °C	06.45	13.30									

Kodak 320TXP à EI 1250/32°											
FOMA		R09 New 1+25	R09 New 1+50	R09 New 1+100		Foma LQN 1+10	Foma LQR 1+10	Universal 1+3	Foma Excel pur	Foma Excel 1+1	Fomadon P pur
24 °C									10.00		
KODAK	XTOL	XTOL 1+1	XTOL 1+2	XTOL 1+3	DK-50 1+1	D-19	D-96				
24 °C	08.45	11.30									
SPURSINN	SAM classic 1+5	SAM classic 1+7	SAM classic 1+9								
24 °C	08.30										

Kodak 400TX - 24 °C

Kodak 400TX à EI 100/21°											
ROLLEI	RHS 1+7	RHS 1+9	RHS 1+15	RLS 1+4	RPX-D 1+5	RPX-D 1+11	Supergrain 1+9	Supergrain 1+12	Supergrain 1+15		
24 °C				11.00							
SPURSINN	SAM classic 1+5	SAM classic 1+7	SAM classic 1+9								
24 °C			-								

Kodak 400TX à EI 320/26°											
SPUR	UFP 1+15	UFP 1+17	UFP 1+20	UFP 1+24	UFP 1+30	UFP 1+40	NHC 1+9	NHC 1+12	NHC 1+15	NHC 1+20	NHC 1+29
24 °C				07.15							
SPURSINN	SAM classic 1+5	SAM classic 1+7	SAM classic 1+9								
24 °C		06.15									
Kodak 400TX à EI 400/27°											
ADOX	Adotech II 1+14	Adonal 1+25	Adonal 1+50	Adonal 1+100	Adotech III 1+9	Adotech III 1+11	ADX-II 1+17	ADX-II 1+24	Atomal 49 pur	Atomal 49 1+1	Atomal 49 1+2
24 °C			11.15					09.45	cf 22 °C		
(suite)	Silvermax 1+17	Silvermax 1+19	Silvermax 1+24	Silvermax 1+29	Silvermax 1+30	Silvermax 1+100	FX-39 1+5	FX-39 1+9	FX-39 1+14	FX-39 1+19	
24 °C		09.45						06.00			
AGFA	Refinal	Rodinal 1+25	Rodinal 1+50	Rodinal 1+100	R09 special 1+15	R09 special 1+31	Studional 1+15	Studional 1+31	Atomal pur	Atomal 1+1	Atomal 1+2
24 °C			11.15						cf 22 °C		
ARS- IMAGO	FD 1+19	FD 1+39	FD 1+59								
24 °C		cf 20 °C									
BAK	Acufine	Ethol UFG	Ethol UFG 1+5	Ethol TEC 1+15	ACU-1 1+5	ACU-1 1+10					
24 °C			cf 21 °C								
BERGGER	BerSpeed pur	BerSpeed 1+1		PMK 1+2+100		BER49 pur	BER49 1+1				
24 °C		08.00									
CLAYTON	F60 1+9	F60 1+14	F60 1+19	F76 plus 1+9	F76 plus 1+14	F76 plus 1+19					
24 °C	05.00			05.00							
FOMA		R09 New 1+25	R09 New 1+50	R09 New 1+100		Foma LQN 1+10	Foma LQR 1+10	Universal 1+3	Foma Excel pur	Foma Excel 1+1	Fomadon P pur
24 °C			11.15			12.00		06.00	04.45	07.15	09.00
(suite)	Fomadon P 1+1		Retro Special pur								
24 °C	11.15										
ILFORD	ID-11 pur	ID-11 1+1	ID-11 1+3	Microphen pur	Microphen 1+1	Microphen 1+3	Perceptol pur	Perceptol 1+1	Perceptol 1+3	Ilfotec LC29 1+9	Ilfotec LC29 1+19
24 °C	04.45	07.45								-	05.15
(suite)	Ilfotec LC29 1+29	Ilfotec DDX 1+4	Ilfotec HC 1+15	Ilfotec HC 1+31	Ilfosol-S 1+9	Ilfosol-S 1+14	Ilfosol-3 1+9	Ilfosol-3 1+14			
24 °C		06.30	-	05.15	08.00		06.00	09.45			
KODAK	D-76 pur	D-76 1+1	D-76 1+3	TMAX-dev 1+4	TMAX-dev 1+7	TMAX-dev 1+9	Microdol-X	Microdol-X 1+1	Microdol-X 1+3	HC-110 (A) 1+15	HC-110 (B) 1+31
24 °C	04.45	07.45		04.45			07.30		13.30		02.30
(suite)	XTOL	XTOL 1+1	XTOL 1+2	XTOL 1+3	DK-50 1+1	D-19	D-96				
24 °C	04.45	07.15			04.30	05.00					
PATERSON	Acutol 1+9	Acutol 1+10	Aculux3 1+5	Aculux3 1+9	FX-39 1+5	FX-39 1+9	FX-39 1+14	FX-39 1+19			
24 °C				06.30		06.00					
ROLLEI	RHS 1+7	RHS 1+9	RHS 1+15	RLS 1+4	RPX-D 1+5	RPX-D 1+11	Supergrain 1+9	Supergrain 1+12	Supergrain 1+15		
24 °C							05.00	05.45	06.00		
SPURSINN	SAM classic 1+5	SAM classic 1+7	SAM classic 1+9								

24 °C	05.30	07.00	09.45								
TETENAL	Ultrafin liquid 1+10	Ultrafin liquid 1+20	Ultrafin SF	Ultrafin SF 1+1	Ultrafin plus 1+4	Ultrafin plus 1+6	Ultrafin T-plu s 1+4	Emofin		Neofin Blau 1+16	
24 °C							06.15				
(suite)	Paranol S 1+25	Paranol S 1+50									
24 °C	06.45	13.30									

Kodak 400TX à EI 640/29°

ILFORD	ID-11 pur	ID-11 1+1	ID-11 1+3	Microphen pur	Microphen 1+1	Microphen 1+3	Perceptol pur	Perceptol 1+1	Perceptol 1+3	Ilfotec LC29 1+9	Ilfotec LC29 1+19
24 °C				06.30							
SPURSINN	SAM classic 1+5	SAM classic 1+7	SAM classic 1+9								
24 °C		08.45									

Kodak 400TX à EI 800/30°

ARS-IMAGO	FD 1+19	FD 1+39	FD 1+59								
24 °C		cf 20 °C									
BERGGER	BerSpeed pur	BerSpeed 1+1		PMK 1+2+100		BER49 pur	BER49 1+1				
24 °C		11.15									
FOMA		R09 New 1+25	R09 New 1+50	R09 New 1+100		Foma LQN 1+10	Foma LQR 1+10	Universal 1+3	Foma Excel pur	Foma Excel 1+1	Fomadon P pur
24 °C									06.00	08.00	
ILFORD	ID-11 pur	ID-11 1+1	ID-11 1+3	Microphen pur	Microphen 1+1	Microphen 1+3	Perceptol pur	Perceptol 1+1	Perceptol 1+3	Ilfotec LC29 1+9	Ilfotec LC29 1+19
24 °C	04.45	09.00		09.00	12.00					04.00	07.15
(suite)	Ilfotec LC29 1+29	Ilfotec DDX 1+4	Ilfotec HC 1+15	Ilfotec HC 1+31	Ilfosol-S 1+9	Ilfosol-S 1+14	Ilfosol-3 1+9	Ilfosol-3 1+14			
24 °C		08.00	04.00				08.30	15.00			
KODAK	D-76 pur	D-76 1+1	D-76 1+3	TMAX-dev 1+4	TMAX-dev 1+7	TMAX-dev 1+9	Microdol-X	Microdol-X 1+1	Microdol-X 1+3	HC-110 (A) 1+15	HC-110 (B) 1+31
24 °C	04.45	09.00									
(suite)	XTOL	XTOL 1+1	XTOL 1+2	XTOL 1+3	DK-50 1+1	D-19	D-96				
24 °C	06.00	08.00									
SPURSINN	SAM classic 1+5	SAM classic 1+7	SAM classic 1+9								
24 °C	07.15	09.15									

Kodak 400TX à EI 1000/31°

BAK	Acufine	Ethol UFG	Ethol UFG 1+5	Ethol TEC 1+15	ACU-1 1+5	ACU-1 1+10					
24 °C	cf 21 °C			cf 21 °C	cf 21 °C						

Kodak 400TX à EI 1600/33°											
ARS-IMAGO	FD 1+19	FD 1+39	FD 1+59								
24 °C		cf 20 °C									
CLAYTON	F60 1+9	F60 1+14	F60 1+19	F76 plus 1+9	F76 plus 1+14	F76 plus 1+19					
24 °C				cf 22 °C							
FOMA		R09 New 1+25	R09 New 1+50	R09 New 1+100		Foma LQN 1+10	Foma LQR 1+10	Universal 1+3	Foma Excel pur	Foma Excel 1+1	Fomadon P pur
24 °C									06.45	10.30	
ILFORD	ID-11 pur	ID-11 1+1	ID-11 1+3	Microphen pur	Microphen 1+1	Microphen 1+3	Perceptol pur	Perceptol 1+1	Perceptol 1+3	Ilfotec LC29 1+9	Ilfotec LC29 1+19
24 °C	06.30	10.45		13.00						05.45	
(suite)	Ilfotec LC29 1+29	Ilfotec DDX 1+4	Ilfotec HC 1+15	Ilfotec HC 1+31	Ilfosol-S 1+9	Ilfosol-S 1+14	Ilfosol-3 1+9	Ilfosol-3 1+14			
24 °C		11.15	05.45								
KODAK	D-76 pur	D-76 1+1	D-76 1+3	TMAX-dev 1+4	TMAX-dev 1+7	TMAX-dev 1+9	Microdol-X	Microdol-X 1+1	Microdol-X 1+3	HC-110 (A) 1+15	HC-110 (B) 1+31
24 °C	06.30	10.45		07.00							04.15
(suite)	XTOL	XTOL 1+1	XTOL 1+2	XTOL 1+3	DK-50 1+1	D-19	D-96				
24 °C	06.45	10.30									
SPURSINN	SAM classic 1+5	SAM classic 1+7	SAM classic 1+9								
24 °C	09.00	12.00									

Kodak 400TX à EI 3200/36°											
FOMA		R09 New 1+25	R09 New 1+50	R09 New 1+100		Foma LQN 1+10	Foma LQR 1+10	Universal 1+3	Foma Excel pur	Foma Excel 1+1	Fomadon P pur
24 °C									08.00	12.15	
ILFORD	ID-11 pur	ID-11 1+1	ID-11 1+3	Microphen pur	Microphen 1+1	Microphen 1+3	Perceptol pur	Perceptol 1+1	Perceptol 1+3	Ilfotec LC29 1+9	Ilfotec LC29 1+19
24 °C	09.00	13.00		20.00							
KODAK	D-76 pur	D-76 1+1	D-76 1+3	TMAX-dev 1+4	TMAX-dev 1+7	TMAX-dev 1+9	Microdol-X	Microdol-X 1+1	Microdol-X 1+3	HC-110 (A) 1+15	HC-110 (B) 1+31
24 °C	07.30	12.45		08.15							
(suite)	XTOL	XTOL 1+1	XTOL 1+2	XTOL 1+3	DK-50 1+1	D-19	D-96				
24 °C	08.00	12.15									
SPURSINN	SAM classic 1+5	SAM classic 1+7	SAM classic 1+9								
24 °C	11.45	15.00									